



User's Manual

Dear Customer

Congratulations and welcome to Smarteefi family.

We thank you for the trust you have shown in buying Smarteefi Power Strip. We have designed this power strip to control your appliances and equipment from anywhere anytime. Its easy scheduling facility allows you to minimize your energy bills by switching on/off your appliances automatically at scheduled time.

We request you to please register your account at <u>www.smarteefi.com</u>. If you face any issue with the product, please post your queries at <u>www.smarteefi.com/support</u> and our dedicated support team will help you.

We once again thank you for using Smarteefi Power Strip.

Yours Sincerely Team Smarteefi CoreEmbedded Technologies Pvt. Ltd. Ground Floor, Ishan Corporate Tower C-23, Sector-13, Vasundhara, Ghaziabad(U.P.)-201012



Table of Contents

How Does It Work?
Understanding Smart Power Strip
How to Setup?5
Step 1:
Step 2:
Step 3:
Step 4:5
Step 5:
Step 6:
Step 7:
Step 8:
Status LED Color Indications?
Stable Blue7
Blinking Green7
Stable Green7
Red7
How to control Smarteefi Power Strip using Android App?
Requirement8
How to control Smarteefi Power Strip from web portal?10
Technical Specifications
FAQ13
Special Note



How Does It Work?

- 1. It uses your home/office Wi-Fi network and connects with Smarteefi Cloud.
- 2. When it is connected with the cloud, each socket can be controlled individually from Smarteefi Mobile App (Android) or Smarteefi Web Portal.

Understanding Smart Power Strip





Serial Number & Activation Code



How to Setup?

Step 1:

Change Power Strip Mode to Setting by sliding Mode Switch (2) towards Settings

Step 2:

Plugin Power Strip to wall socket

Step 3: Switch-on Power Strip from Main Switch (1)

Step 4:

Wait Until Status LED color is changed to blue

Step 5:

Check for available WiFi networks on your PC or Mobile. A new entry with the serial number of Power Strip must appear in the available networks.

(Please note that serial number of the power strip is printed on the bottom)

Connect your PC/Mobile to the Wi-Fi with Power Strip serial number.

(you should be able to connect without password and it may show as limited connectivity)













Step 6:

Open browser on your PC/Mobile and enter address http://192.168.4.1

Enter Wi-Fi name (SSID) and password of your home Wi-Fi network and press Save button.

- a. If it shows successful message, close the browser window.
- b. If it shows failure, repeat Step 6 again

Step 7:

Change Power Strip Mode to Normal by sliding Mode Switch (2) towards Normal





Step 8:

Wait until Power strip status LED color changes to stable green.

- a. Blinking Green indicates that connection with cloud in progress.
- Stable green indicates that Power strip is ready to be controlled from Smarteefi Mobile App and Web Portal





Status LED Color Indications?

Stable Blue

Power Strip is in Settings mode. In this mode WiFi name and password can be changed but device cannot be controslled

Blinking Green

Power strip is in normal mode and trying to connect with Smarteefi cloud. it continues blinking for more than 3 minutes. Check following

- a. Ensure that Wi-Fi name (SSID) and password are entered correctly
- b. Bring Power Strip near to the router to ensure good signal strength then Switch-Off and Switch-On Power Strip from main power button

Stable Green

Power strip is in normal mode and connected with Smarteefi cloud. It is ready to be controlled using Smarteefi Mobile App/Web portal.

Red

Error in connecting with cloud or attempt to reconnect with cloud.



How to control Smarteefi Power Strip using Android App?

Requirement: Application requires network connection (Wi-Fi or Mobile Data connection)

- a) Download free Smarteefi App from Google Play
- b) Open the app and Login if you already have Smarteefi account. If you do not have Smarteefi account, register your account from mobile app

airtel 🖿		💎 🖌 🗎 11:19
Weld	come to Smai	rteeFi
Email		
Email		
Password		
REGISTER		LOGIN
REGIOTER		
FORG	OT PASS	WORD
	_	
\triangleleft	0	



Login View

Register View



- c) Add a Device from your mobile App by entering following details
 - i. Serial Number (Printed at bottom of power strip)
 - ii. Activation Code (Printed at bottom of power strip)
 - iii. Device Name (Any Name you want to assign e.g. My Power Strip)
- d) Start Controlling your appliances from Smarteefi App
- e) You may also create schedules from app settings



Add Device View



Main App View



Settings View



How to control Smarteefi Power Strip from web portal?

- Step 1. Register your account at <u>www.smarteefi.com</u>
- Step 2. Go to My Devices and Add Device, fill up following details and press add button
 - a. Serial Number (Printed at bottom of power strip)
 - b. Activation Code (Printed at bottom of power strip)
 - c. Device Name (Any Name you want to assign e.g. My Power Strip)

userdevices	×	+										-	٥	×
\leftrightarrow \rightarrow \mho	8	smarteefi.com/site/devices								□ ☆	=	Ø	٥	
	smarteef	"" 		Home	My Devices	Buy	OEMs	Support	vipin.gahlau	t@coreembedde	i.com 👻			
	Use	r Devices									ß			
				No Device	e Registered Device	d								
	Ab Co	out ntact	© C	ioreEmbedded Te	chnologies Pvt. L	td. 2015			ł	f 🛅 🛩 8	⁺ in			



□ userdevices × +			- 0 ×
\leftarrow \rightarrow \circlearrowright \mid \triangleq smarteefi.com/site/devices		□ ☆ 🗟 =	- 🛛 🗘 …
smarteofi	Home My Devices Buy OEMs	Support vipin.gahlaut@coreembedded.com	•
User Devices			
	Drawing Room Power Strip (Status: Online)		
Settings	Refresh		
TV	Set Top Box	Game Console	
About		f 🞳 🎔 🖇 ir	

Step 3. Go to My Devices Section and control any socket from My Devices Section



Technical Specifications

Model	SE315A
Input Voltage	200V-240V 50Hz AC
Max Current	5A
Max Power	1100W
Surge Protection	Yes
Wi-Fi Enabled	Yes
Wi-Fi Encryption Support	WPA/WPA2
Cloud Controlled	Yes
Over The Air Upgrade	Yes (Automatic)
Outputs	3 Universal Sockets



FAQ

Question: My home network Wi-Fi name/password is changed or I have moved device from Home to Office after that it does not connect with cloud anymore

Answer: Power Strip remember Wi-Fi name (SSID) and password entered during setup and it will try to connect to router with same SSID/password. You need to change SSID/password stored in Power Strip. Please follow steps in How to setup section again to change SSID/password.

Question: My power strip status LED keeps blinking and Mobile App/Web portal shows it offline. **Answer**: Signal strength of Wi-Fi network may be poor where your Power strip is located. Please bring device near to the router where at least 3 signal bars are shown as Wi-Fi signal strength on your mobile.

Question: Main power switch of Power strip went off automatically.

Answer: Main Power switch has built-in safe guard for overcurrent protection. If the appliances connected to Power strip draws current over 5A (e.g. AC connected to Power Strip), main power switch expected to trip automatically to safeguard against damages. You must reduce the load and then press main power switch manually towards reset position.

Special Note

If Router is switched-off or disconnected, communication with Smarteefi Power strip cannot be made.

Smarteefi is a trademark of CoreEmbedded Technologies Pvt. Ltd Please contact <u>support@smarteefi.com</u> for any enquiry

